



Folding Flyscreen Systems

444 20 62



 [facebook.com/nofly.sineklik](https://facebook.com/nofly.sineklik)  
 [twitter@nofly.sineklik](https://twitter@nofly.sineklik)

[www.nofly.com.tr](http://www.nofly.com.tr)

NOFLY is a registered trademark of our firm which started its activities as Şahin Pen Pencere Sistemleri in 1988. NOFLY, which met the consumers with Flyscreen Systems in 2005, is a leading brand in the sector which made its presence felt with the projects such as development in the systems with its high quality production.

NOFLY, which aims to present its years of experience to its customers in different fields in the sector, sets sights on becoming a brand known across Turkey. Having risen by taking high quality production in line with this goal, NOFLY has developed patented products in Fly Screen Systems.

NOFLY Flyscreen Systems aims to become Turkey's Flyscreen brand by increasing the dealer number in Turkey with its new systems and quality products, boosting its export to Middle Eastern and European countries and exporting patented products.

- ✓ Designing and producing systems suitable for high reliability criteria, being an environment open to change and participative together with all of its employees.
- ✓ It is to become a leading firm in the sector in terms of technology and production by adopting.
- ✓ Presenting unique solutions to cost-performance pair with superior technological features by using the experience and knowledge owned by us.
- ✓ Enhancing our productivity by working together with our suppliers in mutual cooperation and trust.
- ✓ Ensuring and increasing customer satisfaction and keeping its continuity.
- ✓ Getting continuous improvement and development in all activities and processes as the principles.





T.C. TÜRK PATENT ENSTİTÜSÜ  
**MARKA TESCİL BELGESİ**  
Marka No : 2009 36496 - Ticaret - Hizmet

**nofly**

Marka Sahibi : HARUN SAHİN (T.C. Kimlik No: 32998162156)  
TÜRKİYE CUMHURİYETİ  
ESKİ ACIKAYAM YOLU VATAN BULVARI NO:84  
DENİZLİ  
Etilaası : 19, 38  
Bağdatlır.

Markaların Korunması Hakkında 556 Sayılı Kanun Hükmünde Kararnameye göre 09/07/2009 tarihinde yayımlanan 13 ON Yılı maddesinde 14/06/2010 tarihinde tescil edilmiştir.

**TÜRK PATENT ENSTİTÜSÜ**

T.C. TÜRK PATENT ENSTİTÜSÜ  
**TASARIM TESCİL BELGESİ**  
TESCİL NUMARASI : 2010 01967

Bu belge ekinde yer alan tasarımlar, 09/04/2010 tarihinde tescil edilmiş olup 554 Sayılı Endüstriyel Tasarımların Korunması Hakkında Kanun Hükmünde Kararname'nin 12 nci maddesi gereğince 5 yıl süre ile korunmaktadır. İşbu belge 20/12/2010 tarihinde düzenlenmiştir.

**Enstitü Başkanı**  
Enstitü Başkanlığı  
Patent Dairesi Başkanı

**TÜRK PATENT ENSTİTÜSÜ**

T.C. TÜRK PATENT ENSTİTÜSÜ  
**FAYDALI MODEL BELGESİ**  
No: TR 2010 09579 Y

Bu Belge 551 Sayılı Patent Haklarının Korunması Hakkında Kanun Hükmünde Kararname'nin 162 nci maddesi uyarınca 22.11.2010 tarihinde itibaren 10 yıl süre ile verilmiştir.

**Enstitü Başkanı**  
Enstitü Başkanlığı  
Patent Dairesi Başkanı

**TÜRK PATENT ENSTİTÜSÜ**

T.C. TÜRK PATENT ENSTİTÜSÜ  
**FAYDALI MODEL BELGESİ**  
No: TR 2011 01826 Y

Bu Belge 551 Sayılı Patent Haklarının Korunması Hakkında Kanun Hükmünde Kararname'nin 162 nci maddesi uyarınca 24.02.2011 tarihinde itibaren 10 yıl süre ile verilmiştir.

**Enstitü Başkanı**  
Enstitü Başkanlığı  
Patent Dairesi Başkanı

**TÜRK PATENT ENSTİTÜSÜ**

T.C. TÜRK PATENT ENSTİTÜSÜ  
**FAYDALI MODEL BELGESİ**  
No: TR 2012 10618 Y

Bu Belge 551 Sayılı Patent Haklarının Korunması Hakkında Kanun Hükmünde Kararname'nin 162 nci maddesi uyarınca 18.09.2012 tarihinde itibaren 10 yıl süre ile verilmiştir.

**Enstitü Başkanı**  
Enstitü Başkanlığı  
Patent Dairesi Başkanı

**TÜRK PATENT ENSTİTÜSÜ**

T.C. TÜRK PATENT ENSTİTÜSÜ  
**FAYDALI MODEL BELGESİ**  
No: TR 2011 02271 Y

Bu Belge 551 Sayılı Patent Haklarının Korunması Hakkında Kanun Hükmünde Kararname'nin 162 nci maddesi uyarınca 09.03.2011 tarihinde itibaren 10 yıl süre ile verilmiştir.

**Enstitü Başkanı**  
Enstitü Başkanlığı  
Patent Dairesi Başkanı

**TÜRK PATENT ENSTİTÜSÜ**

**CE**  
TECHNICAL REVIEW FILE DECLARATION  
General Productive Directive 2009/95/EC

We hereby declare, Manufacturer/Distributor/EU Representative:  
SARIN PENCERE SİS TİCARET VE TEKNOLOJİ A.Ş. (T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ)  
SARIN PENCERE SİS TİCARET VE TEKNOLOJİ A.Ş. (T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ)  
SARIN PENCERE SİS TİCARET VE TEKNOLOJİ A.Ş. (T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ)  
SARIN PENCERE SİS TİCARET VE TEKNOLOJİ A.Ş. (T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ)

Description of The Product/Product Part : Folding Roller Insect Screen Systems  
Product Commercial Brand : NOFLY  
Applicable EC Directive : General Productive Directive 2009/95/EC  
Applicable Harmonized Standard / Technical Standards and Specifications : TKT 21120078  
Classification : CLASS4  
Certificate Number : 0223  
Certificate Code : SARIN  
Certificate Issue Date : 05.11.2012  
Certificate Validity Date : 05.11.2015  
EU Representative :  
(Manufacturer Signature and Title)

**100% QUALITY**

**ETIM FC RoHS CE**

Şişlihanlı Bahçe Teknoloji Co. Ltd.  
Company Address: T.C. İstanbul Bahçeşehir İlçesi, Sarıyer Mahallesi, Sarıyer Sokak, Sarıyer  
Company Phone: 0212-2156220 Fax: 0212-2156221  
Etilaası: 19351

**TR INTERNATIONAL**  
**Sertifika**

SARINPENCERE SİSTEMLERİ TURİZM İNŞAAT TEKSTİL GIDA OYUNCAK SAN. VE TIC. LTD. ŞTİ.

BAĞIŞLI MAHAL VATAN BULVARI NO: 84 MERKEZ DENİZLİ (T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ) BULGARIYE BİTTİLLİ İSTANBUL.

**TS EN ISO 14001:2004**  
PENCERE SİSTEMLERİ VE SİNERJİK SATIŞ

**Original**

**TÜRKAKAD**  
T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ.  
T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ.  
T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ.

**TR INTERNATIONAL**  
**Sertifika**

SARINPENCERE SİSTEMLERİ TURİZM İNŞAAT TEKSTİL GIDA OYUNCAK SAN. VE TIC. LTD. ŞTİ.

BAĞIŞLI MAHAL VATAN BULVARI NO: 84 MERKEZ DENİZLİ (T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ) BULGARIYE BİTTİLLİ İSTANBUL.

**TS EN ISO 9001:2008**  
PENCERE SİSTEMLERİ VE SİNERJİK ÜRETİM SATIŞ

**Original**

**TÜRKAKAD**  
T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ.  
T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ.  
T.C. İKİTİDARLIK SAKAT SAN. VE TIC. LTD. ŞTİ.



N2 Corner Block



Kod: 481

Colours:

N1 Corner Block



Kod: 482

Colours:

N1 - N2 Corner Plug



Kod: 483

Colours:

N1 - N2 Up profile  
Wheels  
Moving



Kod: 484

Colours:

N1-N2  
Cover Mobile Settings



Kod: 485

Colours:

N2 Windscreens



Kod: 486

Colours:

N1-N2  
PVC Holding Apparatus



Kod: 487

Colours:

N1 - N2 Fish Eye



Kod: 488

Colours:

N1-N2  
Setting Pvc Profiles



Kod: 346

Colours:

N1-N2  
Double Sided Adhesive



Kod: 347

Colours:

N1-N2 Needle



Kod: 262

Thread



Kod: 264

Colours:

N1-N2 Magnet



Kod: 263

Folding Wick Makes



Kod: 265

Colours:

## Product Features

NOFLY Folding System Economical Series Flyscreen Systems can be conveniently used with its maintenance-free decorative flyscreen net in the doors and windows to which it applied. It gives an esthetic appearance to your house from outside with its different colors and choices. It can be used horizontal and vertical.

It can be used in every kind of joinery such as PVC, wood and aluminum. The one being used in front of the balcony glazing can be collected when necessary. N1 Economical System can be applied up to 130m in width, 240cm in length.

With its esthetical appearance, N1 Economical Series has got the feature allowing it to be affixed to the behind of blinds as well and outcores its rivals with its price advantages.

N2 NOFLY Luxury Series is a flyscreen system that outcores its rivals with its special design and working system. With its esthetical 6.4 cm lookused in the case, it especially removes the friction to door handle which is available outside in the balcony doors.


N2 NOFLY Luxury Series ends the incidents of rope breaks by minimizing rope friction due the wheels which are available inside the case. N2 NOFLY Luxury Series can be used up to 150m in width, 250cm in length. It has a system which does not need any maintenance and can be used very easily.

Because it has no spring mechanism, it does not cause any break-down and noise. It has the possibility to stay everywhere. It is handyfor children and elderly. It can be applied to every kind of colors and patterns.




# N1 - N2 Economical & Luxury Series Folding System of Aluminum Profiles

N1 Side Profile (Side-Bottom Profile)




Kod: 287

N1-N2 Sliding Profile (Middle Profile)




Kod: 288

N2 Sliding Profile (Side-Bottom Profile)









Kod: 289

## N1 - N2 Economical & Luxury Series Folding System Photos



## N1 Economical Series Folding System Assembly Techniques






N3 Economical &Luxury Folding  
Double Door Flyscreen Systems



Product Features


N3 NOFLY Double Door Flyscreen Systems are generally used in wide dimensions, sliding joineries and balcony closings which used in economical series and luxury series profiles. They consist of two folding wings that can be collected to right and left. Due to the magnet strips which are available on the sides of each wing, they close by combing in the middle. N3 NOFLY Double Door System is used as 320cm in width, 250cm in length.






# N4 Economical Series Caseless Roller Blind Flyscreen System

Store Roller




Kod: 291

Store Rail




Kod: 292

Bottom Drawer Profile



Kod: 293

Tulle Wrap Profile



Kod: 294

Lower Locking Profile



Kod: 295

Economic Series Set




Kod: 491

Store Wick Makes



Kod: 266

## N4 Economical Series Caseless Roller Blind Flyscreen Photos









Economic Series With Brakes Set



Kod: 492

## N4 Economical Series Caseless Roller Blind Flyscreen Assembly Techniques



## Product Features


N4 NOFLY Caseless Roller Blind Flyscreen System is a system that can be applied on the windows and works by collecting flyscreen net over a reel with a steel pipe with its modern design. The locks are hidden. Alimuminium 40x20 is not used; it is a system that can be applied from outside and nocase is used. It does not create visual pollution from outside while ensuring montage convenience with its design.

The roller blind flyscreens that are produced from stylish aluminum profile that can be dyed to requested ral colors and covered with wooden pattern provide decor to your house with their view. With the railed braking system that can be added as optional, it ensures a reliable and comfortable use by opening to upside slowly after vertical lock is freed from bottom lock.




# N5 NOFLY Luxury Case Roller Blind Flyscreen System

Store Roller




Kod: 291

Store Rail




Kod: 292

Bottom Drawer Profile



Kod: 293

Tulle Wrap Profile




Kod: 294

Lower Locking Profile



Kod: 295

10x40 Box Profile



Kod: 296

Economic Series Set



Kod: 493

Store Wick Makes



Kod: 266

## N5 NOFLY Luxury Case Roller Blind Flyscreen System Photos



Economic Series With Brakes Set




Kod: 494



## Product Features

N5 NOFLY Luxury Case Roller Blind Flyscreen System ensures montage convenience with the 40x20 aluminum box profile which surrounds it. It prevents tulle from going out in windy weathers due to cross fiber cords which are available within side profiles and, with the braking system supplied as optional, it ensures a reliable and comfortable use by opening slowly after vertical flyscreen is freed from bottom lock. Wooden patterned profiles that can be dyed to requested ral colors provide a rich view.













N6 NOFLY Mobile  
Flyscreen System




Product Features

N6 NOFLY Mobile Flyscreen System ensures montage convenience with aluminum box profile which surrounds it. Due to its mobile carrier, you can use your flyscreen at any position you want. Wooden patterned profiles that can be dyed to requested ral colors provide a rich view.







ST 320m



ST 320p



ST 320y



ST 321m



ST 321p



ST 321y




ST 322m



ST 322p



ST 322y



ST 319g



ST 323s



ST 323y




Alınmeşe





Maun



Fındık



NF 131 (Fiber Tül)



After opening the door and window frames outside dimensions are taken outside or inside.


Fixed or hinged flapper inside the measurement is taken.

After receiving dimensions with the company should contact your information.

TÜRKİYE




BEŞİKTAŞ




FENERBAHÇE



GALATASARAY



NOFLY Stands



**nofly**

## Practical Velcro Flyscreen

### Product Features

Nofly Practical Velcro Flyscreen Systems are a windows and door flyscreen system that is applied by means of sticking double sided adhesive tape to every kind of windows such as PVC, Aluminum, Iron Joinery, Wooden Joinery etc. and that can be removed and affixed if requested. Nofly practical velcro flyscreen can be supplied at the dimensions of 100 x 100 cm, 130 x 130 cm and 150 x 150 cm in black and white colors.

**nofly**

## NOFLYSolar Curtain System


Kod: GN 215



Kod: GN 216



Kod: GN 217




Kod: GN 218




Kod: GN 219 (Renk Gri)



Kod: GN 220 (Renk Mavi)



Kod: GN 221 (Renk Beyaz)



### Product Features

Nofly Solar Curtain System is a system applied with aluminum profiles of N1 Economical and N2 Luxury Folding Systems. If requested, one side can be used as flyscreen and other side as curtain in the doors, windows and balconies. Nofly Solar Curtain System can be applied in partitions, hospital rooms and shower sections in the bathroom.





**Product Features**

NOFLY Package Flyscreen System is used at horizontal and vertical doors and windows for Folding Roller Blind Flyscreen. Its standard dimensions are adjusted according to 45-60 x 140 cm for window and 60-70 x 215 and 75-90 x 215 cm for the doors and it can be applied in requested dimension and colors.

**NOFLY Fixed and Hinged Flyscreen Accessory Code**

17x25 Corner Block 90



**NF-100**

17x25 Corner Block 45




**NF-101**

17x25 Hinges (Plastic Pin)



**NF-102**

17x25 Hinges (Iron Pin)



**NF-103**

17x25 Snaps



**NF-104**

17x25 Handle



**NF-105**

17x25 Big Handle



**NF-106**

17x25 Tulle Top Handle



**NF-107**

17x25 Fixed four-lug



**NF-108**

17x25 Strength of the Wedge



**NF-109**

17x25 Mullion Wedge (Thin)



**NF-110**

17x25 Mullion Wedge (Thick)



**NF-111**

10x20 Corner Block 90




**NF-112**

10x20 Corner Block 45



**NF-113**

10x10 Hinges (Plastic Pin)



**NF-114**

10x10 Hinges (Iron Pin)



**NF-115**

10x20 Snaps



**NF-116**

10x20 Handle



**NF-117**

10x20 Fixed four-lug



**NF-118**

20x40 Corner Block



**NF-119**

17x44 Corner Block Wick



**NF-120**

17x44 Corner Block Wickless



**NF-121**

17x42 Corner Block



**NF-122**

30x40 Corner Block



**NF-123**

17x37 Corner Block



**NF-124**

PVC Square  
Stabilization Wedges



**NF-125**

Transparent Ring



**NF-126**

Transparent Ring Bottom



**NF-127**

Magnet Snap



**NF-128**

Wick Drawing Apparatus



**NF-129**

Flyscreen Wick



**NF-130**



Folding Flyscreen Systems



444 20 62

[www.nofly.com.tr](http://www.nofly.com.tr)